



SECTION EIGHT FLUID HANDLING EQUIPMENT



- ▶ Drains
- ▶ Extractors
- ▶ Dispensers
- ▶ Accessories

Constructed of high grade materials, Alemite Fluid Handling Equipment provides efficient, cost effective solutions to remove and store used fluids, and to dispense fresh oil. Their safe and dependable operation contribute to a clean, efficient operating environment.

DRAINS

Alemite Drains are designed to safely capture used product and transfer the fluids to storage containers.



8587-1

Pressurized Portable Drain

FEATURES:

- 24 gallon wheel mounted tank
- 23" swivel mounted bowl
- Built in evacuation hose
- Gauge indicates when tank is full
- High quality steel construction
- Recommended accessory – ¼" Air Regulator with Gauge (7604-B)



8586

Portable Drain

FEATURES:

- Mounts directly to a 16 gallon drum (338550, not included)
- Cover mounted drain with telescoping tube, and built in ¾" cam lock adapter
- Suction tube for evacuation, including screen to prevent large articles from contaminating pump
- Float gauge indicates when drum is full
- Sturdy steel dolly



8586-A

Portable Drain with Drum

FEATURES:

- Mounts directly to a 16 gallon drum (included)
- Cover mounted drain with telescoping tube, and built in ¾" cam lock adapter
- Suction tube for evacuation, including screen to prevent large articles from contaminating pump
- Float gauge indicates when drum is full
- Sturdy steel dolly

EXTRACTORS

Alemite's portable oil extractor provides a safe, economical way to empty fluids from engine crankcases using air pressure.



8588

Portable Oil Extractor

FEATURES:

- Large 24 gallon wheel mounted tank reduces trips to waste container
- Pressure relief valve to prevent over pressurization
- 6 suction wands with convenient storage caddy
- Recommended accessory – ¼" Air Regulator with Gauge (7604-B)

DISPENSERS

Alemite pressurized oil dispensers safely and conveniently deliver oil to engine crankcases, transmissions and differentials.



8589/8589-A

Pressurized Oil Dispenser

FEATURES:

- 17 gallon tank
- 79" clear dispensing hose
- Valve, air pressure gauge, pressure relief valve and fluid level gauge
- Recommended accessory – ¼" Air Regulator with Gauge (7604-B)
- Includes meter (3671-B) for Product #8589-A Only.

ACCESSORIES

Waste Oil Drum 338550

FEATURES:

- 16 gallon capacity
- 2" NPTF opening on top and side of container
- For use with Alemite Portable Drain (8586)

Tank Overfill Alarms

The Alemite Tank Sentry is a valve used to prevent used oil spills due to overfilling storage tanks. Operating air to the evacuation pump passes through the valve. When the storage tank is full, a float on the valve rises and air supply to the pump is stopped.

Tank Sentry 340078



Evacuation Hose Kits 338554

FEATURES:

- 3/4" x 6' hose
- Ball valve cam lock
- Use with Alemite Portable Drains (8586, 8586-A)

Strainers

Alemite Strainers may be used with any Alemite drain, to help prevent contamination of evacuation pumps.

3/4" NPT Strainer 338685

1" NPT Strainer 339683

Evacuation Valves

Alemite 4 Way Evacuation Valves simplify extraction and discharge of waste oil fluid, hydraulic, gear and engine oil and automatic transmission fluid.

4 Way Evacuation Valve 340289-1

FEATURES:

- 5.5" x 5.5" x 4.6"
- 1" NPT connection
- 200 psi operating pressure
- Weight, 6.6 Lb.



340289

340289-2

FEATURES:

- 5.5" x 5.5" x 4.6"
- 1.5" NPT connection
- 200 psi operating pressure
- Weight, 6.6 Lb.

340289-3

FEATURES:

- 6" x 6" x 4.6"
- 2" NPT connection
- 200 psi operating pressure
- Weight, 7.8 Lb.

Suction Wand Kit 338557

FEATURES:

- 4 15" flexible wands (3/16", 1/4", 3/8", 1/2")
- Use with Alemite Portable Oil Extractor (8588)